


The SAS System

The FREQ Procedure

WB1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	28	1.48	28	1.48
2	36	1.90	64	3.37
3	29	1.53	93	4.90
4	32	1.69	125	6.59
5	42	2.21	167	8.80
6	31	1.63	198	10.43
7	39	2.05	237	12.49
8	33	1.74	270	14.23
9	32	1.69	302	15.91
10	33	1.74	335	17.65
11	28	1.48	363	19.13
12	43	2.27	406	21.39
13	28	1.48	434	22.87
14	37	1.95	471	24.82
15	30	1.58	501	26.40
16	37	1.95	538	28.35
17	45	2.37	583	30.72
18	31	1.63	614	32.35
19	32	1.69	646	34.04
20	31	1.63	677	35.67
21	25	1.32	702	36.99
22	42	2.21	744	39.20
23	35	1.84	779	41.04
24	40	2.11	819	43.15
25	29	1.53	848	44.68
26	39	2.05	887	46.73
27	37	1.95	924	48.68
28	32	1.69	956	50.37
29	32	1.69	988	52.05
30	35	1.84	1023	53.90


31	40	2.11	1063	56.01
32	36	1.90	1099	57.90
33	28	1.48	1127	59.38
34	30	1.58	1157	60.96
35	34	1.79	1191	62.75
36	30	1.58	1221	64.33
37	41	2.16	1262	66.49
38	37	1.95	1299	68.44
39	36	1.90	1335	70.34
40	45	2.37	1380	72.71
41	46	2.42	1426	75.13
42	33	1.74	1459	76.87
43	30	1.58	1489	78.45
44	34	1.79	1523	80.24
45	36	1.90	1559	82.14
46	40	2.11	1599	84.25
47	38	2.00	1637	86.25
48	38	2.00	1675	88.25
49	40	2.11	1715	90.36
50	26	1.37	1741	91.73
51	13	0.68	1754	92.41
52	27	1.42	1781	93.84
53	22	1.16	1803	94.99
54	18	0.95	1821	95.94
55	23	1.21	1844	97.15
56	12	0.63	1856	97.79
57	13	0.68	1869	98.47
58	18	0.95	1887	99.42
59	7	0.37	1894	99.79
62	1	0.05	1895	99.84
65	1	0.05	1896	99.89
66	1	0.05	1897	99.95
67	1	0.05	1898	100.00



WB2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	42	2.21	42	2.21
2	47	2.48	89	4.69
3	31	1.63	120	6.32
4	42	2.21	162	8.54
5	46	2.42	208	10.96
6	33	1.74	241	12.70
7	43	2.27	284	14.96
8	37	1.95	321	16.91
9	35	1.84	356	18.76
10	42	2.21	398	20.97
11	37	1.95	435	22.92
12	32	1.69	467	24.60
13	37	1.95	504	26.55
14	37	1.95	541	28.50

15	45	2.37	586	30.87
16	34	1.79	620	32.67
17	26	1.37	646	34.04
18	38	2.00	684	36.04
19	30	1.58	714	37.62
20	41	2.16	755	39.78
21	28	1.48	783	41.25
22	43	2.27	826	43.52
23	31	1.63	857	45.15
24	38	2.00	895	47.15
25	35	1.84	930	49.00
26	34	1.79	964	50.79
27	25	1.32	989	52.11
28	37	1.95	1026	54.06
29	22	1.16	1048	55.22
30	32	1.69	1080	56.90
31	22	1.16	1102	58.06
32	31	1.63	1133	59.69
33	33	1.74	1166	61.43
34	33	1.74	1199	63.17
35	30	1.58	1229	64.75
36	38	2.00	1267	66.75
37	34	1.79	1301	68.55
38	28	1.48	1329	70.02
39	38	2.00	1367	72.02
40	31	1.63	1398	73.66
41	29	1.53	1427	75.18
42	38	2.00	1465	77.19
43	41	2.16	1506	79.35
44	33	1.74	1539	81.09
45	34	1.79	1573	82.88
46	27	1.42	1600	84.30
47	34	1.79	1634	86.09
48	26	1.37	1660	87.46
49	41	2.16	1701	89.62


	26	1.37	1727	90.99
51	25	1.32	1752	92.31
52	30	1.58	1782	93.89
53	24	1.26	1806	95.15
54	22	1.16	1828	96.31
55	14	0.74	1842	97.05
56	14	0.74	1856	97.79
57	13	0.68	1869	98.47
58	13	0.68	1882	99.16
59	11	0.58	1893	99.74
61	1	0.05	1894	99.79
62	2	0.11	1896	99.89
68	2	0.11	1898	100.00



WB3	Frequency	Percent	Cumulative Frequency	Cumulative Percent

1	31	1.63	31	1.63
2	26	1.37	57	3.00
3	31	1.63	88	4.64
4	27	1.42	115	6.06
5	36	1.90	151	7.96
6	39	2.05	190	10.01
7	29	1.53	219	11.54
8	40	2.11	259	13.65
9	33	1.74	292	15.38
10	36	1.90	328	17.28
11	35	1.84	363	19.13
12	39	2.05	402	21.18
13	43	2.27	445	23.45
14	43	2.27	488	25.71
15	33	1.74	521	27.45
16	36	1.90	557	29.35
17	33	1.74	590	31.09
18	29	1.53	619	32.61
19	44	2.32	663	34.93
20	36	1.90	699	36.83
21	37	1.95	736	38.78
22	36	1.90	772	40.67
23	39	2.05	811	42.73
24	30	1.58	841	44.31
25	23	1.21	864	45.52
26	37	1.95	901	47.47
27	32	1.69	933	49.16
28	34	1.79	967	50.95
29	33	1.74	1000	52.69
30	35	1.84	1035	54.53
31	38	2.00	1073	56.53
32	46	2.42	1119	58.96
33	31	1.63	1150	60.59
34	29	1.53	1179	62.12
35	38	2.00	1217	64.12


	37	1.95	1254	66.07
37	23	1.21	1277	67.28
38	36	1.90	1313	69.18
39	33	1.74	1346	70.92
40	32	1.69	1378	72.60
41	32	1.69	1410	74.29
42	45	2.37	1455	76.66
43	40	2.11	1495	78.77
44	34	1.79	1529	80.56
45	37	1.95	1566	82.51
46	38	2.00	1604	84.51
47	29	1.53	1633	86.04
48	43	2.27	1676	88.30
49	39	2.05	1715	90.36
50	18	0.95	1733	91.31
51	19	1.00	1752	92.31
52	23	1.21	1775	93.52
53	23	1.21	1798	94.73
54	22	1.16	1820	95.89
55	19	1.00	1839	96.89
56	11	0.58	1850	97.47
57	11	0.58	1861	98.05
58	12	0.63	1873	98.68
59	19	1.00	1892	99.68
63	2	0.11	1894	99.79
66	1	0.05	1895	99.84
68	1	0.05	1896	99.89
69	2	0.11	1898	100.00



WB4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	32	1.69	32	1.69
2	26	1.37	58	3.06
3	30	1.58	88	4.64
4	32	1.69	120	6.32
5	34	1.79	154	8.11
6	32	1.69	186	9.80
7	35	1.84	221	11.64
8	29	1.53	250	13.17
9	41	2.16	291	15.33
10	29	1.53	320	16.86
11	38	2.00	358	18.86
12	36	1.90	394	20.76
13	38	2.00	432	22.76
14	36	1.90	468	24.66


15	29	1.53	497	26.19
16	46	2.42	543	28.61
17	32	1.69	575	30.30
18	29	1.53	604	31.82
19	40	2.11	644	33.93
20	46	2.42	690	36.35
21	32	1.69	722	38.04
22	36	1.90	758	39.94
23	39	2.05	797	41.99
24	39	2.05	836	44.05
25	39	2.05	875	46.10
26	30	1.58	905	47.68
27	40	2.11	945	49.79
28	32	1.69	977	51.48
29	35	1.84	1012	53.32
30	35	1.84	1047	55.16
31	29	1.53	1076	56.69
32	36	1.90	1112	58.59
33	31	1.63	1143	60.22
34	47	2.48	1190	62.70
35	34	1.79	1224	64.49
36	31	1.63	1255	66.12
37	31	1.63	1286	67.76
38	43	2.27	1329	70.02
39	43	2.27	1372	72.29
40	44	2.32	1416	74.60
41	39	2.05	1455	76.66
42	37	1.95	1492	78.61
43	26	1.37	1518	79.98
44	34	1.79	1552	81.77
45	37	1.95	1589	83.72
46	27	1.42	1616	85.14
47	34	1.79	1650	86.93
48	37	1.95	1687	88.88
49	29	1.53	1716	90.41

	23	1.21	1739	91.62
51	28	1.48	1767	93.10
52	25	1.32	1792	94.42
53	23	1.21	1815	95.63
54	19	1.00	1834	96.63
55	19	1.00	1853	97.63
56	12	0.63	1865	98.26
57	5	0.26	1870	98.52
58	7	0.37	1877	98.89
59	15	0.79	1892	99.68
62	1	0.05	1893	99.74
63	1	0.05	1894	99.79
64	2	0.11	1896	99.89
67	1	0.05	1897	99.95
69	1	0.05	1898	100.00




WB5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	26	1.37	26	1.37
2	42	2.21	68	3.58
3	41	2.16	109	5.74
4	32	1.69	141	7.43
5	25	1.32	166	8.75
6	29	1.53	195	10.27
7	30	1.58	225	11.85
8	41	2.16	266	14.01
9	36	1.90	302	15.91
10	38	2.00	340	17.91
11	29	1.53	369	19.44
12	34	1.79	403	21.23
13	38	2.00	441	23.23
14	33	1.74	474	24.97
15	34	1.79	508	26.77
16	37	1.95	545	28.71
17	37	1.95	582	30.66
18	34	1.79	616	32.46
19	37	1.95	653	34.40
20	34	1.79	687	36.20
21	29	1.53	716	37.72
22	28	1.48	744	39.20
23	26	1.37	770	40.57
24	20	1.05	790	41.62
25	28	1.48	818	43.10
26	52	2.74	870	45.84
27	32	1.69	902	47.52
28	39	2.05	941	49.58
29	37	1.95	978	51.53
30	45	2.37	1023	53.90
31	42	2.21	1065	56.11
32	45	2.37	1110	58.48
33	31	1.63	1141	60.12

34	29	1.53	1170	61.64
35	37	1.95	1207	63.59
36	35	1.84	1242	65.44
37	41	2.16	1283	67.60
38	27	1.42	1310	69.02
39	37	1.95	1347	70.97
40	37	1.95	1384	72.92
41	48	2.53	1432	75.45
42	33	1.74	1465	77.19
43	35	1.84	1500	79.03
44	28	1.48	1528	80.51
45	43	2.27	1571	82.77
46	28	1.48	1599	84.25
47	30	1.58	1629	85.83
48	38	2.00	1667	87.83
49	37	1.95	1704	89.78
50	32	1.69	1736	91.46
51	31	1.63	1767	93.10
52	21	1.11	1788	94.20
53	16	0.84	1804	95.05
54	21	1.11	1825	96.15
55	20	1.05	1845	97.21
56	11	0.58	1856	97.79
57	15	0.79	1871	98.58
58	10	0.53	1881	99.10
59	13	0.68	1894	99.79
60	1	0.05	1895	99.84
64	1	0.05	1896	99.89
65	1	0.05	1897	99.95
68	1	0.05	1898	100.00



PB	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	52	2.74	52	2.74
2	60	3.16	112	5.90
3	40	2.11	152	8.01
4	38	2.00	190	10.01
5	48	2.53	238	12.54
6	58	3.06	296	15.60
7	44	2.32	340	17.91
8	50	2.63	390	20.55
9	48	2.53	438	23.08
10	44	2.32	482	25.40
11	53	2.79	535	28.19
12	41	2.16	576	30.35
13	47	2.48	623	32.82
14	55	2.90	678	35.72

15	53	2.79	731	38.51
16	43	2.27	774	40.78
17	54	2.85	828	43.62
18	54	2.85	882	46.47
19	46	2.42	928	48.89
20	64	3.37	992	52.27
21	45	2.37	1037	54.64
22	41	2.16	1078	56.80
23	54	2.85	1132	59.64
24	48	2.53	1180	62.17
25	50	2.63	1230	64.81
26	46	2.42	1276	67.23
27	42	2.21	1318	69.44
28	41	2.16	1359	71.60
29	56	2.95	1415	74.55
30	42	2.21	1457	76.77
31	51	2.69	1508	79.45
32	43	2.27	1551	81.72
33	53	2.79	1604	84.51
34	36	1.90	1640	86.41
35	49	2.58	1689	88.99
36	38	2.00	1727	90.99
37	51	2.69	1778	93.68
38	30	1.58	1808	95.26
39	33	1.74	1841	97.00
40	19	1.00	1860	98.00
41	20	1.05	1880	99.05
42	18	0.95	1898	100.00



PP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	30	2.24	30	2.24
2	364	27.18	394	29.42
3	309	23.08	703	52.50
4	278	20.76	981	73.26
5	353	26.36	1334	99.63
10	5	0.37	1339	100.00
Frequency Missing = 559				

